



Maximum security and flexibility

Duo

A vertical decorative bar on the left side of the page, consisting of a blue segment on top and a yellow segment on the bottom.

The Swedish made locking system



Кехта

Exma Duo: Standalone locking system with easy installation and the highest security

Quick and easy to install...

The Exma Duo is a standalone solution, easy to install. No further wiring or perforation of the door is required. The unit is mounted under the door pressure and cylinder ring and works with standard-type modular locks.

... and use

The system is very convenient for the user. Maximum security is offered, along with easy management and the ability to tailor the level of protection as needed.

You may easily specify if you want code lock only during certain times and code plus tag during others. Generating temporary codes is also easily achieved; ideal for e.g. letting in craftsmen when you're not at home.

Safe and secure

All passengers carried out with tags, cards and/or codes are logged in the memory of the device.

Administering cards and keys is a breeze. If a tag is lost it is easily completely removed from the system, ensuring that any unauthorized access is prevented.

Flexible

The Exma Duo allows the user to choose how to operate the lock; either with card/tag or code.

Being able to always open and lock with a standard key equals extra security; the lock can always be handled - even in case of power failure.

- Key
- Tag
- Code
- Tag+Code
- Time
- NFC*

System administrators have complete control of codes, tags, card and time settings. This makes the Exma Duo a perfect solution for e.g. elderly care facilities.

** Near-field communication, NFC, makes it possible to use selected Android cellphones as tag- and administration tool.*



Duo specifications

Number of tags	999
Event log	500
Emergency code	Yes, 8 digits
Security level Code lock, Tag, Tag + PIN	Yes
Clock	Yes
Automatic daylight saving time setting	Yes
Unique encryption	Yes
Code calculation	Yes
NFC	Yes
Mifare Classic and Ultra Light 13,56 MHz	Yes
Hight security mode	Yes
Battery voltage. (4 pcs 1.5V AA standard batteries = 6V)	Yes
Standalone	Yes
Blocking element	Motor
Locked-, open- and system indications	Yes
Lock operation with door pressure	Yes
Acoustic verification	Yes
Battery life, normal use	12-24 months
Battery warning	Yes
App with NFC support for administration: Android	Yes
App with NFC support for administration: Iphone	No
Reading distance	2-4 cm
Size, external unit, WxHxD	70x230x10 mm
Size, internal unit, WxHxD	80x300x28 mm

